



Stratabound Reports 10.51 g/t Au over 6.8m at Golden Culvert, Yukon Territory, Including 34.8 g/t Au over 1.8m

Highlights:

- **All six holes reported intercept gold-mineralized quartz vein and breccia structures.**
- **Best intercept in hole GC20-16 yields 34.8 g/t Au over 1.8m quartz vein including 86.6 g/t Au over 0.6m down-hole.**
- **Total intercept (both vein and wall-rock halo) yields 10.51 g/t Au over 6.8m down-hole.**
- **Hole GC20-15 collars immediately into high-grade gold mineralization of 10.2 g/t Au over 0.7m at bedrock surface.**

Toronto, March 30, 2021 - Stratabound Minerals Corp. (TSX.V:SB, OTCQK: SBMIF) ("Stratabound" or the "Company") is pleased to report the final diamond drill results received from its 2020 drill program at its flagship Golden Culvert Project in the southeastern Yukon Territory.

The six holes reported in this release (GC20-11 to GC20-16) are definition in-fill holes at approximately 50m intervals between previously wider-spaced drilling on approximate 200m sections. The location of the drill holes and assay results are presented below in Figure 1 and Table 1, respectively. All six holes intercepted gold-mineralized quartz vein and breccia structures yielding between 0.36 g/t Au over 12.1m in GC20-13 and 86.6 g/t Au over 0.6m in GC20-16 down-hole. Hole GC20-15 intercepted a high-grade interval of 10.2 g/t Au over 0.7m immediately in bedrock at 4.3m below the overburden surface

Mr. R. Kim Tyler, President and CEO of the Company commented, "Though still at an early stage, these results continue to confirm multiple, parallel gold-bearing quartz vein and breccia structures constituted of higher-grade cores within lower-grade wall-rock halos. Results continue to yield significant gold values in all the known mineralized gold-bearing structures encountered to date. The abundance of high-grade surface samples collected in float-trains reported on November 17, 2020 that included 93 samples up to 320 g/t Au, averaging 13.27 g/t Au over 670m of strike across an 100m width, (Figure 1), overlie and are sourced proximal to this latest drilling area. We remain encouraged to definitively pin down that source. Our next objective is the compilation, interpretation and 3D modeling of all results to date to evaluate plunges, shoots or other criteria that may further control the higher-grade gold grade distribution in the larger system."

He further added, "The Golden Culvert and near-by parallel 3 Aces high-grade gold occurrence, (5,401 g/t Au discovery in 2003), occur in a new evolving Hyland gold district in the eastern Yukon that has seen very little exploration activity as compared to the parallel White Gold District in the western Yukon. The Golden Culvert/3 Aces properties also lie in the prolific Tintina Gold Belt within rocks of similar geological terrane, age and deposit type that host the Cariboo gold District, (e.g., Barkerville), in eastern British Columbia and the Fairbanks Gold District, (e.g., Pogo), of eastern Alaska in a gap thousands of kilometres to the south and north respectively that, despite similar excellent prospectivity, have likewise seen very little comparative exploration activity."

The finalized holes, together with 24 surface trenches reported in previous exploration programs, have intersected and outlined a 970-metre-long by 130-metre-wide mineralized corridor containing multiple parallel gold-bearing structures.




Figure 1.

Diamond Drill Hole	UTM NAD 83 Northing	UTM NAD 83 Easting	Azimuth (deg)	Dip (deg)	From: (m)	To: (m)	Down-hole Length:	Au g/t:
GC20-01	6868859	531038	51	-45	21.0	39.0	18.0	0.64
includes:					29.0	33.2	4.2	1.24
and					98.0	105.5	7.5	2.47
includes:					101.5	103.1	1.6	10.31
GC20-02	6868745	531077	40	-45	49.5	74.0	24.5	0.30
includes:					55.4	57.6	2.2	1.15
and					165.0	175.5	10.5	0.36
and					251.6	255.0	3.4	0.66
and					292.5	294.0	1.5	4.83
GC20-03	6868937	531016	37	-46	84.9	94.0	9.1	1.10
includes:					88.7	90.3	1.6	3.55
GC20-04	6868430	531551	70	-45	80.5	90.0	9.5	0.54
and					147.8	151.7	3.9	0.22
GC20-05	6868936	531015	220	-45	27.6	33.0	5.4	0.28
and					44.8	50.8	6.0	0.59
GC20-06	6868901	531025	35	-45	64.5	65.0	0.5	5.36
GC20-07	6868900	531023	220	-45	9.0	16.7	7.7	0.62
GC20-08	6868900	531057	40	-45	80.8	81.7	0.9	3.95
and					99.0	101.3	2.3	0.80
GC20-09	6868533	531575	200	-45	48.5	54.0	5.5	0.37
GC20-09B	6868533	531575	200	-55	172.3	174.0	1.7	1.80

	and					223.5	224.7	1.2	1.03
GC20-10		6868755	531148	40	-45	7.3	8.0	0.7	5.80
	and					29.0	34.1	5.1	0.55
	and					74.8	76.9	2.1	2.43
	and					107.2	110.2	3.0	0.81
GC20-11		6868796	531246	45	-45	4.0	18.5	14.5	0.73
GC20-12		6868704	531392	225	-45	8.6	10.5	1.9	1.05
	and					128.0	135.0	7.0	1.20
	includes:					130.4	133.0	2.6	2.21
GC20-13		6868822	531286	225	-54	20.9	21.4	0.5	12.1
	and					182.9	195.0	12.1	0.36
GC20-14		6868701	531304	220	-45	36.3	43.0	6.7	0.41
GC20-15		6868730	531196	44	-54	6.3	22.7	16.4	0.88
	includes:					6.3	7.0	0.7	10.20
GC20-16		6868702	531305	40	-60	110.3	117.1	6.8	10.51
	includes:					111.1	112.9	1.8	34.80
	includes:					111.1	111.7	0.6	86.60

Table 1.

*(Intercepts are reported down-hole as true widths are unknown at this time.)

Quality Assurance/Quality Control

The samples referenced in this press release were collected and hand-delivered by Stratabound personnel to the ALS Canada laboratory in Whitehorse, YT where they were crushed to 70% less than 2mm. A riffle split of 250 grams was then taken and pulverized to an 85% passing 75 microns pulp sub-sample. The pulps were then shipped by ALS Canada to its Vancouver laboratory for gold and multi-element analyses. The ME-AA26 gold assaying procedure used is a standard fire assay with AA finish technique on a 50-gram sub-sample taken from the 250-gram pulp split. Samples that exceeded the 100 g/t Au upper detection limit of this method were re-assayed by the Au-GRA22 Ore Grade procedure, with a 50-gram pulp fire assay and gravimetric finish.

The samples were also tested for 51 other elements using the ME-MS41 Ultra Trace Aqua Regia ICP-MS method. ALS uses a procedure of standards, blanks and duplicates inserted into the sample stream for which all fell within satisfactory confidence limits. ALS is an independent internationally recognized and ISO/IEC 17025:2017 accredited chemical analysis company.

In addition to the quality assurance and quality control program performed by ALS, Stratabound personnel insert lab-certified standards and field blanks into the sample stream at the rate of one QA/QC sample for every 15 samples and maintain a program of duplicate sampling.

About Stratabound Minerals Corp.

Stratabound Minerals Corp. is a well-funded Canadian exploration and development company focused on gold exploration at its flagship Golden Culvert Project, Yukon Territory and its new McIntyre Brook Project, New Brunswick, Canada. The Company also holds a significant land position that hosts three base metals deposits in the Bathurst base metals camp of New Brunswick featuring the Captain Copper-Cobalt-Gold Deposit that hosts an NI 43-101 Measured and Indicated Resource.

Mr. R. Kim Tyler, P.Geo., President and CEO of Stratabound, and a "Qualified Person" for the purpose of NI 43-101, has reviewed and approved the contents of this news release.

For more information, please visit the company's website at www.stratabound.ca or contact: R. Kim Tyler, President and CEO 416-915-4157 info@stratabound.com

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

WARNING: The Company relies upon litigation protection for "forward looking" statements. The information in this release may contain forward-looking information under applicable securities laws. This forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause actual results to differ materially from those implied by the forward-looking information. Factors that may cause actual results to vary materially include, but are not limited to, inaccurate assumptions concerning the exploration for and development of mineral deposits, currency fluctuations, unanticipated operational or technical difficulties, changes in laws or regulations, failure to obtain regulatory, exchange or shareholder approval, the risks of obtaining necessary licenses and permits, changes in general economic conditions or conditions in the financial markets and the inability to raise additional financing. Readers are cautioned not to place undue reliance on this forward-looking information. The Company does not assume the obligation to revise or update this forward-looking information after the date of this release or to revise such information to reflect the occurrence of future unanticipated events, except as may be required under applicable securities laws.